

# 2018 TOW RATINGS

KEY TO CHARTS

## VEHICLE

<b>Reg Cab</b>	Regular Cab
<b>Ext Cab</b>	Extended Cab
<b>CC</b>	Crew Cab
<b>DC</b>	Double Cab
<b>SB</b>	Shortbed
<b>Std Bed</b>	Standard Bed
<b>LB</b>	Longbed
<b>CV</b>	Cargo Van

<b>PV</b>	Passenger Van
<b>SRW</b>	Single Rear Wheel
<b>DRW</b>	Dual Rear Wheel
<b>AWD</b>	All-Wheel Drive
<b>FWD</b>	Front-Wheel Drive
<b>RWD</b>	Rear-Wheel Drive
<b>2WD</b>	Two-Wheel Drive
<b>4WD</b>	Four-Wheel Drive

<b>SWB</b>	Short Wheelbase
<b>LWB</b>	Long Wheelbase
<b>EL</b>	Extra Length
<b>LR</b>	Low Roof
<b>MR</b>	Medium Roof
<b>HR</b>	High Roof
<b>EHR</b>	Extra-High Roof

## ENGINE

<b>TD</b>	Turbo Diesel
<b>TC</b>	Turbocharged
<b>SC</b>	Supercharged

## GEAR RATIO

<b>b</b>	3.08:1	<b>h</b>	3.55:1
<b>c</b>	3.15:1	<b>i</b>	3.73:1
<b>d</b>	3.21:1	<b>j</b>	3.92:1
<b>e</b>	3.23:1	<b>k</b>	4.10:1
<b>f</b>	3.31:1	<b>l</b>	4.30:1
<b>g</b>	3.42:1		

<b>a</b>	Automatic Transmission
<b>a6</b>	Automatic Transmission, 6 Speeds
<b>a8</b>	Automatic Transmission, 8 Speeds
<b>a9</b>	Automatic Transmission, 9 Speeds
<b>a10</b>	Automatic Transmission, 10 Speeds
<b>m</b>	Manual Transmission

<b>m6</b>	Manual Transmission, 6 Speeds
<b>p</b>	Cooling or Other Accessory Package Required
<b>t</b>	Tow Package/Upgraded Tow Package Required for Maximum Tow Capacity
<b>/</b>	Either/Or
<b>,</b>	More Than One Footnote Applies

## VEHICLE ENGINE TOW LIMIT (lbs.)

### ACURA

MDX FWD	3.5L V-6	3,500 (t)
MDX SH AWD	3.5L V-6	3,500 (p,t)

### AUDI

Q5	2.0L I-4 TC	4,400 (t)
Q7	2.0L I-4 TC	4,400 (t)
Q7	3.0L V-6 SC	7,700 (t)

### BMW

X3	All	4,400
X4	All	3,500 (t)
X5	All	6,000 (t)
X6	All	6,000 (t)

### FIAT CHRYSLER AUTOMOBILES

<b>CHRYSLER</b>		
Chrysler Pacifica	3.6L V-6	3,600 (t)

### DODGE

Dodge Durango RWD/AWD	3.6L V-6	6,200 (t)
Dodge Durango RWD	5.7L V-8	7,400 (t)
Dodge Durango AWD	5.7L V-8	7,200 (t)

Dodge Durango AWD	6.4L V-8	8,600 (t)
Dodge Grand Caravan	3.6L V-6	3,600 (t)
Dodge Journey FWD/AWD	3.6L V-6	2,500 (t)*

\*Hitch receiver not included in optional tow-prep package.

### JEEP

Cherokee FWD/4WD	All	2,000**
Cherokee FWD/4WD	2.4L I-4	2,000 (t)
Cherokee FWD/4WD	3.2L V-6	4,500 (t)
Compass 4WD	2.4L I-4	2,000 (t)
Grand Cherokee 2WD	3.6L V-6	6,200 (t)
Grand Cherokee 2WD	3.0L V-6 TD	7,400 (t)
Grand Cherokee 4WD	3.6L V-6	6,200 (t)*
Grand Cherokee 4WD	3.0L V-6 TD	7,200 (t)*
Grand Cherokee 4WD	5.7L V-8	7,200 (t)*
Grand Cherokee 4WD SRT	6.4L V-8	7,200 (t)
Grand Cherokee 4WD Trackhawk	6.2L V-8 SC	7,200 (t)
Renegade 4WD	2.4L I-4	2,000 (t)
Wrangler	3.6L V-6	2,000 (d,t)
Wrangler	3.6L V-6	3,500 (i,k,t)

\*Tow package required for some models, standard on others. See dealer for details.

\*\*All Cherokee models equipped with aftermarket Class II hitch.

### RAM

Ram 1500 Bed Lengths: Shortbed 5'7"/Standard 6'4"/Longbed 8'

# 2018 TOW RATINGS

## Ram 1500 Regular Cab Standard Bed

Ram 1500 Reg Cab Std Bed 2WD	3.6L V-6	4,970 (a8,d)
Ram 1500 Reg Cab Std Bed 2WD	3.6L V-6	7,260 (a8,h)
Ram 1500 Reg Cab Std Bed 2WD	5.7L V-8	7,170 (a6,d)
Ram 1500 Reg Cab Std Bed 2WD	5.7L V-8	9,220 (a6,h)
Ram 1500 Reg Cab Std Bed 2WD	5.7L V-8	9,150 (a6,j)
Ram 1500 Reg Cab Std Bed 2WD	5.7L V-8	8,610 (a8,d)
Ram 1500 Reg Cab Std Bed 2WD	5.7L V-8	9,160 (a8,j)
Ram 1500 Reg Cab Std Bed 2WD R/T	5.7L V-8	5,030 (a8,j)
Ram 1500 Reg Cab Std Bed 4WD	3.6L V-6	4,750 (a8,d)
Ram 1500 Reg Cab Std Bed 4WD	3.6L V-6	7,050 (a8,h)
Ram 1500 Reg Cab Std Bed 4WD	5.7L V-8	9,030 (a6,h)
Ram 1500 Reg Cab Std Bed 4WD	5.7L V-8	8,960 (a6,j)
Ram 1500 Reg Cab Std Bed 4WD	5.7L V-8	8,380 (a8,d)
Ram 1500 Reg Cab Std Bed 4WD	5.7L V-8	8,930 (a8,j)

## Ram 1500 Regular Cab Longbed

Ram 1500 Reg Cab LB 2WD	3.6L V-6	4,770 (a8,d)
Ram 1500 Reg Cab LB 2WD	3.6L V-6	7,270 (a8,h)
Ram 1500 Reg Cab LB 2WD	5.7L V-8	7,040 (a6,d)
Ram 1500 Reg Cab LB 2WD	5.7L V-8	9,090 (a6,h)
Ram 1500 Reg Cab LB 2WD	5.7L V-8	10,640 (a6,j)
Ram 1500 Reg Cab LB 2WD	5.7L V-8	8,470 (a8,d)
Ram 1500 Reg Cab LB 2WD	5.7L V-8	10,620 (a8,j)
Ram 1500 Reg Cab LB 2WD	3.0L V-6 TD	8,240 (a8,h/j)
Ram 1500 Reg Cab LB 2WD	3.0L V-6 TD	9,210 (a8,j)*
Ram 1500 Reg Cab LB 4WD	3.6L V-6	4,580 (a8,d)
Ram 1500 Reg Cab LB 4WD	3.6L V-6	7,080 (a8,h)
Ram 1500 Reg Cab LB 4WD	5.7L V-8	8,860 (a6,h)
Ram 1500 Reg Cab LB 4WD	5.7L V-8	10,410 (a6,j)
Ram 1500 Reg Cab LB 4WD	5.7L V-8	8,260 (a8,d)
Ram 1500 Reg Cab LB 4WD	5.7L V-8	10,410 (a8,j)
Ram 1500 Reg Cab LB 4WD	3.0L V-6 TD	8,030 (a8,h/j)
Ram 1500 Reg Cab LB 4WD	3.0L V-6 TD	9,030 (a8,j)*

\*GCWR 14,750 lbs.

## Ram 1500 Quad Cab

Ram 1500 Quad Cab 2WD	3.6L V-6	4,610 (a8,d)
Ram 1500 Quad Cab 2WD	3.6L V-6	7,600 (a8,h)
Ram 1500 Quad Cab 2WD	5.7L V-8	6,820 (a6,d)
Ram 1500 Quad Cab 2WD	5.7L V-8	8,870 (a6,h)
Ram 1500 Quad Cab 2WD	5.7L V-8	10,420 (a6,j)
Ram 1500 Quad Cab 2WD	5.7L V-8	8,190 (a8,d)
Ram 1500 Quad Cab 2WD	5.7L V-8	10,340 (a8,j)
Ram 1500 Quad Cab 2WD	3.0L V-6 TD	7,960 (a8,h/j)
Ram 1500 Quad Cab 2WD	3.0L V-6 TD	8,960 (a8,j)*
Ram 1500 Quad Cab 2WD HFE	3.0L V-6 TD	7,920 (a8,h)
Ram 1500 Quad Cab 4WD	3.6L V-6	4,430 (a8,d)
Ram 1500 Quad Cab 4WD	3.6L V-6	7,420 (a8,h)
Ram 1500 Quad Cab 4WD	5.7L V-8	8,670 (a6,h)
Ram 1500 Quad Cab 4WD	5.7L V-8	10,220 (a6,j)
Ram 1500 Quad Cab 4WD	5.7L V-8	8,000 (a8,d)
Ram 1500 Quad Cab 4WD	5.7L V-8	10,150 (a8,j)

Ram 1500 Quad Cab 4WD	3.0L V-6 TD	7,650 (a8,h/j)
Ram 1500 Quad Cab 4WD	3.0L V-6 TD	8,650 (a8,j)*

\*GCWR 14,750 lbs.

## Ram 1500 Crew Cab Shortbed

Ram 1500 CC SB 2WD	3.6L V-6	4,510 (a8,d)
Ram 1500 CC SB 2WD	3.6L V-6	7,510 (a8,h)
Ram 1500 CC SB 2WD	5.7L V-8	6,730 (a6,d)
Ram 1500 CC SB 2WD	5.7L V-8	8,780 (a6,h)
Ram 1500 CC SB 2WD	5.7L V-8	10,330 (a6,j)
Ram 1500 CC SB 2WD	5.7L V-8	8,070 (a8,d)
Ram 1500 CC SB 2WD	5.7L V-8	10,220 (a8,j)
Ram 1500 CC SB 2WD	3.0L V-6 TD	7,860 (a8,h/j)
Ram 1500 CC SB 2WD	3.0L V-6 TD	8,860 (a8,j)*
Ram 1500 CC SB 4WD	3.6L V-6	4,210 (a8,d)
Ram 1500 CC SB 4WD	3.6L V-6	7,210 (a8,h/j)
Ram 1500 CC SB 4WD	5.7L V-8	8,610 (a6,h)
Ram 1500 CC SB 4WD	5.7L V-8	10,160 (a6,j)
Ram 1500 CC SB 4WD	5.7L V-8	7,990 (a8,d)
Ram 1500 CC SB 4WD	5.7L V-8	10,140 (a8,j)
Ram 1500 CC SB 4WD	3.0L V-6 TD	7,580 (a8,h/j)
Ram 1500 CC SB 4WD	3.0L V-6 TD	8,580 (a8,j)*

\*GCWR 14,750 lbs.

## Ram 1500 Crew Cab Standard Bed

Ram 1500 CC 2WD	5.7L V-8	6,710 (a6,d)
Ram 1500 CC 2WD	5.7L V-8	8,760 (a6,h)
Ram 1500 CC 2WD	5.7L V-8	10,310 (a6,j)
Ram 1500 CC 2WD	5.7L V-8	8,050 (a8,d)
Ram 1500 CC 2WD	5.7L V-8	10,200 (a8,j)
Ram 1500 CC 4WD	5.7L V-8	8,530 (a6,h)
Ram 1500 CC 4WD	5.7L V-8	10,080 (a6,j)
Ram 1500 CC 4WD	5.7L V-8	7,780 (a8,d)
Ram 1500 CC 4WD	5.7L V-8	9,830 (a8,j)
Ram 1500 CC 4WD	3.0L V-6 TD	7,540 (a8,h/j)
Ram 1500 CC 4WD	3.0L V-6 TD	8,340 (a8,j)*

\*GCWR 14,550 lbs.

Ram 2500/3500 Bed Lengths: Shortbed 6'4"/Longbed 8'

## Ram 2500 Regular Cab Longbed

Ram 2500 Reg Cab LB 2WD	5.7L V-8	11,890 (a6,i)
Ram 2500 Reg Cab LB 2WD	5.7L V-8	13,890 (a6,k)
Ram 2500 Reg Cab LB 2WD	6.4L V-8	13,320 (a6,i)
Ram 2500 Reg Cab LB 2WD	6.4L V-8	16,320 (a6,k)
Ram 2500 Reg Cab LB 2WD	6.7L I-6 TD	16,890 (m6,g)
Ram 2500 Reg Cab LB 2WD	6.7L I-6 TD	17,980 (a6,g)
Ram 2500 Reg Cab LB 4WD	5.7L V-8	11,510 (a6,i)
Ram 2500 Reg Cab LB 4WD	5.7L V-8	13,510 (a6,k)
Ram 2500 Reg Cab LB 4WD	6.4L V-8	12,930 (a6,i)
Ram 2500 Reg Cab LB 4WD	6.4L V-8	15,930 (a6,k)
Ram 2500 Reg Cab LB 4WD	6.7L I-6 TD	16,450 (m6,g)
Ram 2500 Reg Cab LB 4WD	6.7L I-6 TD	17,540 (a6,g)

**Ram 2500 Crew Cab Shortbed**

Ram 2500 CC SB 2WD	5.7L V-8	11,520 (a6,i)
Ram 2500 CC SB 2WD	5.7L V-8	13,520 (a6,k)
Ram 2500 CC SB 2WD	6.4L V-8	12,940 (a6,i)
Ram 2500 CC SB 2WD	6.4L V-8	15,940 (a6,k)
Ram 2500 CC SB 2WD	6.7L I-6 TD	16,450 (m6,g)
Ram 2500 CC SB 2WD	6.7L I-6 TD	17,510 (a6,g)
Ram 2500 CC SB 4WD	5.7L V-8	11,200 (a6,i)
Ram 2500 CC SB 4WD	5.7L V-8	13,190 (a6,k)
Ram 2500 CC SB 4WD	6.4L V-8	12,630 (a6,i)
Ram 2500 CC SB 4WD	6.4L V-8	15,630 (a6,k)
Ram 2500 CC SB 4WD	6.7L I-6 TD	16,130 (m6,g)
Ram 2500 CC SB 4WD	6.7L I-6 TD	17,200 (a6,g)
Ram 2500 CC SB 4WD, Power Wagon	6.4L V-8	10,030 (a6,k)

**Ram 2500 Crew Cab Longbed**

Ram 2500 CC LB 2WD	5.7L V-8	11,390 (a6,i)
Ram 2500 CC LB 2WD	5.7L V-8	13,390 (a6,k)
Ram 2500 CC LB 2WD	6.4L V-8	12,810 (a6,i)
Ram 2500 CC LB 2WD	6.4L V-8	15,810 (a6,k)
Ram 2500 CC LB 2WD	6.7L I-6 TD	16,300 (m6,g)
Ram 2500 CC LB 2WD	6.7L I-6 TD	17,370 (a6,g)
Ram 2500 CC LB 4WD	5.7L V-8	11,030 (a6,i)
Ram 2500 CC LB 4WD	5.7L V-8	13,020 (a6,k)
Ram 2500 CC LB 4WD	6.4L V-8	12,460 (a6,i)
Ram 2500 CC LB 4WD	6.4L V-8	15,460 (a6,k)
Ram 2500 CC LB 4WD	6.7L I-6 TD	15,950 (m6,g)
Ram 2500 CC LB 4WD	6.7L I-6 TD	17,020 (a6,g)

**Ram 2500 Mega Cab**

Ram 2500 Mega Cab 2WD	5.7L V-8	11,040 (a6,i)
Ram 2500 Mega Cab 2WD	5.7L V-8	13,040 (a6,k)
Ram 2500 Mega Cab 2WD	6.4L V-8	12,520 (a6,i)
Ram 2500 Mega Cab 2WD	6.4L V-8	15,520 (a6,k)
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	16,100 (m6,g)
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	17,170 (a6,g)
Ram 2500 Mega Cab 4WD	5.7L V-8	10,780 (a6,i)
Ram 2500 Mega Cab 4WD	5.7L V-8	12,780 (a6,k)
Ram 2500 Mega Cab 4WD	6.4L V-8	12,240 (a6,i)
Ram 2500 Mega Cab 4WD	6.4L V-8	15,240 (a6,k)
Ram 2500 Mega Cab 4WD	6.7L I-6 TD	14,770 (m6,g)
Ram 2500 Mega Cab 4WD	6.7L I-6 TD	15,440 (a6,g)

**Ram 3500 Regular Cab Longbed**

Ram 3500 Reg Cab LB SRW 2WD	5.7L V-8	11,910 (a6,i)
Ram 3500 Reg Cab LB SRW 2WD	5.7L V-8	13,910 (a6,k)
Ram 3500 Reg Cab LB SRW 2WD	6.4L V-8	13,370 (a6,i)
Ram 3500 Reg Cab LB SRW 2WD	6.4L V-8	16,370 (a6,k)
Ram 3500 Reg Cab LB SRW 2WD	6.7L I-6 TD	16,870 (m6,g)
Ram 3500 Reg Cab LB SRW 2WD	6.7L I-6 TD	17,910 (a6,g)
Ram 3500 Reg Cab LB SRW 2WD	6.7L I-6 TD	17,770 (a6,g)*
Ram 3500 Reg Cab LB SRW 4WD	5.7L V-8	11,560 (a6,i)
Ram 3500 Reg Cab LB SRW 4WD	5.7L V-8	13,560 (a6,k)

Ram 3500 Reg Cab LB SRW 4WD	6.4L V-8	12,970 (a6,i)
Ram 3500 Reg Cab LB SRW 4WD	6.4L V-8	15,970 (a6,k)
Ram 3500 Reg Cab LB SRW 4WD	6.7L I-6 TD	16,520 (m6,g)
Ram 3500 Reg Cab LB SRW 4WD	6.7L I-6 TD	17,560 (a6,g)
Ram 3500 Reg Cab LB SRW 4WD	6.7L I-6 TD	17,420 (a6,g)*
Ram 3500 Reg Cab LB DRW 2WD	6.4L V-8	13,020 (a6,i)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	16,510 (m6,g)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	18,510 (m6,i)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	17,550 (a6,g)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	19,550 (a6,i)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	22,550 (a6,k)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	21,410 (a6,g)*
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	25,910 (a6,i)*
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	31,210 (a6,k)*
Ram 3500 Reg Cab LB DRW 4WD	6.4L V-8	12,640 (a6,i)
Ram 3500 Reg Cab LB DRW 4WD	6.4L V-8	16,140 (a6,k)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	16,130 (m6,g)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	18,130 (m6,i)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	17,180 (a6,g)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	19,180 (a6,i)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	22,180 (a6,k)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	21,030 (a6,g)*
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	25,530 (a6,i)*
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	30,830 (a6,k)*

**Ram 3500 Crew Cab Shortbed**

Ram 3500 CC SB SRW 2WD	5.7L V-8	11,520 (a6,i)
Ram 3500 CC SB SRW 2WD	5.7L V-8	13,520 (a6,k)
Ram 3500 CC SB SRW 2WD	6.4L V-8	12,970 (a6,i)
Ram 3500 CC SB SRW 2WD	6.4L V-8	15,970 (a6,k)
Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	16,450 (m6,g)
Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	17,490 (a6,g)
Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	17,350 (a6,g)*
Ram 3500 CC SB SRW 4WD	5.7L V-8	11,200 (a6,i)
Ram 3500 CC SB SRW 4WD	5.7L V-8	13,200 (a6,k)
Ram 3500 CC SB SRW 4WD	6.4L V-8	12,640 (a6,i)
Ram 3500 CC SB SRW 4WD	6.4L V-8	15,640 (a6,k)
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	16,160 (m6,g)
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	17,200 (a6,g)
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	17,050 (a6,g)*

**Ram 3500 Crew Cab Longbed**

Ram 3500 CC LB SRW 2WD	5.7L V-8	11,410 (a6,i)
Ram 3500 CC LB SRW 2WD	5.7L V-8	13,410 (a6,k)
Ram 3500 CC LB SRW 2WD	6.4L V-8	12,830 (a6,i)
Ram 3500 CC LB SRW 2WD	6.4L V-8	15,830 (a6,k)
Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	16,320 (m6,g)
Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	17,360 (a6,g)
Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	17,210 (a6,g)*
Ram 3500 CC LB SRW 4WD	5.7L V-8	11,020 (a6,i)
Ram 3500 CC LB SRW 4WD	5.7L V-8	13,020 (a6,k)
Ram 3500 CC LB SRW 4WD	6.4L V-8	12,470 (a6,i)
Ram 3500 CC LB SRW 4WD	6.4L V-8	15,470 (a6,k)
Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	15,960 (m6,g)

# 2018 TOW RATINGS

Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	17,010 (a6,g)
Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	16,860 (a6,g)*
Ram 3500 CC LB DRW 2WD	6.4L V-8	12,450 (a6,i)
Ram 3500 CC LB DRW 2WD	6.4L V-8	15,950 (a6,k)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	15,960 (m6,g)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	17,960 (m6,i)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	17,000 (a6,g)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	19,000 (a6,i)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	22,000 (a6,k)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	20,860 (a6,g)*
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	25,360 (a6,i)*
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	30,660 (a6,k)*
Ram 3500 CC LB DRW 4WD	6.4L V-8	12,100 (a6,i)
Ram 3500 CC LB DRW 4WD	6.4L V-8	15,600 (a6,k)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	15,620 (m6,g)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	17,620 (m6,i)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	16,660 (a6,g)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	18,660 (a6,i)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	21,660 (a6,k)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	20,520 (a6,g)*
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	25,020 (a6,i)*
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	30,320 (a6,k)*

## Ram 3500 Mega Cab

Ram 3500 Mega Cab SRW 2WD	5.7L V-8	11,210 (a6,i)
Ram 3500 Mega Cab SRW 2WD	5.7L V-8	13,210 (a6,k)
Ram 3500 Mega Cab SRW 2WD	6.4L V-8	12,650 (a6,i)
Ram 3500 Mega Cab SRW 2WD	6.4L V-8	15,650 (a6,k)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	16,100 (m6,g)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	17,140 (a6,g)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	16,990 (a6,g)*
Ram 3500 Mega Cab SRW 4WD	5.7L V-8	10,880 (a6,i)
Ram 3500 Mega Cab SRW 4WD	5.7L V-8	12,880 (a6,k)
Ram 3500 Mega Cab SRW 4WD	6.4L V-8	12,320 (a6,i)
Ram 3500 Mega Cab SRW 4WD	6.4L V-8	15,320 (a6,k)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	15,710 (m6,g)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	16,750 (a6,g)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	16,600 (a6,g)*
Ram 3500 Mega Cab DRW 2WD	6.4L V-8	12,200 (a6,i)
Ram 3500 Mega Cab DRW 2WD	6.4L V-8	15,700 (a6,k)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	15,710 (m6,g)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	17,710 (m6,i)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	16,750 (a6,g)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	18,750 (a6,i)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	21,750 (a6,k)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	20,600 (a6,g)*
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	25,100 (a6,i)*
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	30,400 (a6,k)*
Ram 3500 Mega Cab DRW 4WD	6.4L V-8	11,970 (a6,i)
Ram 3500 Mega Cab DRW 4WD	6.4L V-8	15,470 (a6,k)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	15,400 (m6,g)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	17,400 (m6,i)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	16,440 (a6,g)

Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	18,440 (a6,i)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	21,440 (a6,k)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	20,300 (a6,g)*
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	24,800 (a6,i)*
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	30,100 (a6,k)*

\*HO Cummins

## FORD MOTOR COMPANY

### EDGE, ESCAPE, EXPLORER, EXPEDITION, FLEX, FUSION, TRANSIT CONNECT

Edge FWD/AWD	2.0L I-4 TC	3,500 (t)
Edge AWD	2.7L V-6 TC	2,000 (t)**
Edge FWD/AWD	3.5L V-6	3,500 (t)
Escape FWD/4WD	1.5L I-4 TC	2,000 (t)
Escape FWD/4WD	2.0L I-4 TC	3,500 (t)
Explorer FWD	2.3L I-4 TC	2,000(t)***
Explorer FWD/4WD	2.3L I-4 TC	3,000 (t)
Explorer FWD/4WD	3.5L V-6	2,000(t)***
Explorer FWD/4WD	3.5L V-6	5,000 (t)*
Explorer FWD/4WD	3.5L V-6 TC	5,000 (t)*
Expedition 2WD	3.5L V-6 TC	6,100 (c,f)*
Expedition 2WD	3.5L V-6 TC	9,300 (i,t)*
Expedition 4WD	3.5L V-6 TC	5,900 (f)*#
Expedition 4WD	3.5L V-6 TC	6,100 (f)*##
Expedition 4WD	3.5L V-6 TC	9,300 (i,t)*
Expedition Max 2WD	3.5L V-6 TC	6,300 (f)*
Expedition Max 2WD	3.5L V-6 TC	9,000 (i,t)*
Expedition Max 4WD	3.5L V-6 TC	6,000 (f)*
Expedition Max 4WD	3.5L V-6 TC	9,000 (i,t)*
Flex FWD/AWD	3.5L V-6	4,500 (t)****
Flex AWD	3.5L V-6 TC	4,500 (t)
Fusion FWD/AWD	2.0L I-4 TC	2,000 (a,t)***
Transit Connect Van/Wagon	2.5L I-4	2,000 (a,t)

\*Maximum loaded trailer weight requires weight-distributing hitch.

\*\*Factory- or dealer-installed towing equipment not offered for this application.

\*\*\*Factory-installed towing equipment not offered for this application; available only as aftermarket accessory. Fusion Hybrid and Energi not rated to tow a trailer.

\*\*\*\*Requires weight-distributing hitch on FWD models.

#6CWR 12,100 lbs.

##6CWR 12,300 lbs.

## F-150 CONVENTIONAL/FIFTH-WHEEL TOWING

Ford F-150 Bed Lengths: Shortbed 5.5'/Standard 6.5'/Longbed 8'

### F-150 Regular Cab

F-150 Reg Cab SB 2WD	3.3L V-6	5,100/4,900 (h,t)
F-150 Reg Cab SB 2WD	3.3L V-6	7,700/7,500 (i,t)
F-150 Reg Cab SB 2WD	2.7L V-6 TC	7,600/7,500 (c/f,t)
F-150 Reg Cab SB 2WD	2.7L V-6 TC	8,500/8,400 (i,t)
F-150 Reg Cab SB 2WD	5.0L V-8	8,300/8,200 (c/f,t)
F-150 Reg Cab SB 2WD	5.0L V-8	9,100/9,000 (h,t)
F-150 Reg Cab SB 4WD	3.3L V-6	5,000/4,900 (h,t)
F-150 Reg Cab SB 4WD	3.3L V-6	7,500/7,400 (i,t)
F-150 Reg Cab SB 4WD	2.7L V-6 TC	7,600/7,500 (h,t)
F-150 Reg Cab SB 4WD	2.7L V-6 TC	8,400/8,300 (i,t)
F-150 Reg Cab SB 4WD	5.0L V-8	8,300/8,200 (f/h,t)

F-150 Reg Cab SB 4WD	5.0L V-8	9,700/9,300 (i,t)
F-150 Reg Cab LB 2WD	3.3L V-6	5,000/4,900 (h,t)
F-150 Reg Cab LB 2WD	3.3L V-6	7,600/7,500 (i,t)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	7,600/7,500 (c/f,t)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	8,500/8,400 (i,t)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	8,500/8,400 (i,p,t)**
F-150 Reg Cab LB 2WD	5.0L V-8	9,100/9,000 (c/f,t)
F-150 Reg Cab LB 2WD	5.0L V-8	10,100/10,000 (h,t)
F-150 Reg Cab LB 2WD	5.0L V-8	11,100/11,000 (i,p,t)*
F-150 Reg Cab LB 2WD	3.5L V-6 TC	10,700/10,600 (c/h,t)
F-150 Reg Cab LB 2WD	3.5L V-6 TC	12,100/12,100 (h,t)
F-150 Reg Cab LB 2WD	3.5L V-6 TC	12,100/12,000 (i,p,t)*
F-150 Reg Cab LB 4WD	3.3L V-6	7,400/7,300 (i,t)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	7,600/7,500 (h,t)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	8,300/8,200 (i,t)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 Reg Cab LB 4WD	5.0L V-8	9,100/9,000 (f/h,t)
F-150 Reg Cab LB 4WD	5.0L V-8	11,100/11,000 (i,t)
F-150 Reg Cab LB 4WD	5.0L V-8	11,000/10,900 (i,p,t)*
F-150 Reg Cab LB 4WD	3.5L V-6 TC	10,700/10,600 (f/h,t)
F-150 Reg Cab LB 4WD	3.5L V-6 TC	12,000/11,900 (h,t)
F-150 Reg Cab LB 4WD	3.5L V-6 TC	11,900/11,800 (i,p,t)*

\*Includes 17- and/or 18" wheels/tires. Higher of the two ratings shown, where applicable.

\*\*GCWR 13,300 lbs.

#### F-150 SuperCab

F-150 SuperCab Std Bed 2WD	3.3L V-6	5,000/4,900 (h,t)
F-150 SuperCab Std Bed 2WD	3.3L V-6	7,400/7,300 (i,t)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	7,700/7,600 (c/f,t)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	8,400/8,200 (i,t)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	8,300/8,200 (i,p,t)
F-150 SuperCab Std Bed 2WD	5.0L V-8	9,200/9,100 (c/f,t)
F-150 SuperCab Std Bed 2WD	5.0L V-8	10,200/10,100 (h,t)
F-150 SuperCab Std Bed 2WD	3.5L V-6 TC	10,700/10,600 (c/h,t)
F-150 SuperCab Std Bed 2WD	3.5L V-6 TC	12,000/10,800 (h,t)
F-150 SuperCab Std Bed 4WD	3.3L V-6	7,400/7,300 (i,t)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	7,600/7,400 (h,t)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	8,100/7,900 (i,t)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 SuperCab Std Bed 4WD	5.0L V-8	9,100/9,000 (f/h,t)
F-150 SuperCab Std Bed 4WD	5.0L V-8	11,300/11,000 (i,t)
F-150 SuperCab Std Bed 4WD	3.5L V-6 TC	10,700/10,600 (f/h,t)
F-150 SuperCab Std Bed 4WD	3.5L V-6 TC	11,800/10,700 (h,t)
F-150 SuperCab Std Bed 4WD Raptor	3.5L V-6 TC	6,000 (k)
F-150 SuperCab LB 2WD	2.7L V-6 TC	7,500/7,400 (c/f,t)
F-150 SuperCab LB 2WD	2.7L V-6 TC	8,200/7,900 (i,t)
F-150 SuperCab LB 2WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 SuperCab LB 2WD	5.0L V-8	9,200/9,100 (c/f,t)
F-150 SuperCab LB 2WD	5.0L V-8	10,200/10,100 (h,t)
F-150 SuperCab LB 2WD	5.0L V-8	11,000/10,900 (i,p,t)*
F-150 SuperCab LB 2WD	3.5L V-6 TC	10,700/10,600 (c/h,t)
F-150 SuperCab LB 2WD	3.5L V-6 TC	11,900/11,800 (h,t)
F-150 SuperCab LB 2WD	3.5L V-6 TC	11,800/11,700 (i,p,t)*

F-150 SuperCab LB 4WD	5.0L V-8	9,000/8,900 (f,t)
F-150 SuperCab LB 4WD	5.0L V-8	9,100/9,000 (h,t)
F-150 SuperCab LB 4WD	5.0L V-8	10,700/10,600 (i,p,t)*
F-150 SuperCab LB 4WD	5.0L V-8	11,200/10,200 (i,t)
F-150 SuperCab LB 4WD	3.5L V-6 TC	10,700/10,100 (f/h,t)
F-150 SuperCab LB 4WD	3.5L V-6 TC	11,600/10,100 (h,t)
F-150 SuperCab LB 4WD	3.5L V-6 TC	11,600/11,500 (i,p,t)*

#### F-150 SuperCrew

F-150 SuperCrew SB 2WD	3.3L V-6	5,000/4,900 (h,t)
F-150 SuperCrew SB 2WD	3.3L V-6	7,400/7,300 (i,t)
F-150 SuperCrew SB 2WD	2.7L V-6 TC	7,700/7,600 (c/f,t)
F-150 SuperCrew SB 2WD	2.7L V-6 TC	8,300/7,700 (i,t)
F-150 SuperCrew SB 2WD	2.7L V-6 TC	8,200/8,100 (i,p,t)
F-150 SuperCrew SB 2WD	5.0L V-8	9,100/9,000 (c/f,t)
F-150 SuperCrew SB 2WD	5.0L V-8	10,100/10,000 (h,t)
F-150 SuperCrew SB 2WD	3.5L V-6 TC	10,600/10,200 (c,t)
F-150 SuperCrew SB 2WD	3.5L V-6 TC	12,700/10,200 (h,t)**
F-150 SuperCrew SB 2WD Limited	3.5L V-6 TC	10,400/8,300 (c,t)
F-150 SuperCrew SB 2WD Limited	3.5L V-6 TC	11,200/8,300 (h,t)
F-150 SuperCrew SB 4WD	3.3L V-6	7,400/7,300 (i,t)
F-150 SuperCrew SB 4WD	2.7L V-6 TC	7,600/7,500 (h,t)
F-150 SuperCrew SB 4WD	2.7L V-6 TC	8,000/7,500 (i,t)
F-150 SuperCrew SB 4WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 SuperCrew SB 4WD	5.0L V-8	9,000/8,900 (f,t)
F-150 SuperCrew SB 4WD	5.0L V-8	9,100/9,000 (h,t)
F-150 SuperCrew SB 4WD	5.0L V-8	10,900/10,600 (i,t)
F-150 SuperCrew SB 4WD	3.5L V-6 TC	10,700/10,200 (f/h,t)
F-150 SuperCrew SB 4WD	3.5L V-6 TC	12,700/10,200 (h,t)**
F-150 SuperCrew SB 4WD Limited	3.5L V-6 TC	10,400/6,500 (f,t)
F-150 SuperCrew SB 4WD Limited	3.5L V-6 TC	10,900/6,500 (h,t)
F-150 SuperCrew SB 4WD Raptor	3.5L V-6 TC	8,000 (k)
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	7,600/7,500 (c/f,t)
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	8,200/8,100 (i,t)
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 SuperCrew Std Bed 2WD	5.0L V-8	9,100/9,000 (c/f,t)
F-150 SuperCrew Std Bed 2WD	5.0L V-8	10,100/10,000 (h,t)
F-150 SuperCrew Std Bed 2WD	5.0L V-8	10,900/10,800 (i,p,t)*
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	10,700/10,600 (c/h,t)
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	13,200/11,500 (h,t)**
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	11,800/11,700 (i,p,t)*
F-150 SuperCrew Std Bed 4WD	5.0L V-8	9,100/8,900 (f,t)
F-150 SuperCrew Std Bed 4WD	5.0L V-8	9,100/9,000 (h,t)
F-150 SuperCrew Std Bed 4WD	5.0L V-8	10,600/10,500 (i,p,t)*
F-150 SuperCrew Std Bed 4WD	5.0L V-8	11,600/10,700 (i,t)
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	10,700/10,300 (f/h,t)
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	13,000/10,300 (h,t)**
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	11,500/11,400 (i,p,t)*

\*Includes 17- and/or 18" wheels/tires. Higher of the two ratings shown, where applicable.

\*\*Requires 20" tires and wheels

SuperCrew shortbed trucks will accept a fifth-wheel hitch, but current fifth-wheel designs are not compatible with this model. Fifth-wheel towing requires trailer tow package or max trailer tow package. F-150 ratings may vary slightly depending on wheel and tire package, GCWR and other factors. Certain powertrain/axle combinations may not be available in all states. Consult Ford's 2018 RV & Trailer Towing Guide or dealer for details.

# 2018 TOW RATINGS

## F-250 SRW CONVENTIONAL TOWING

### WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

Ford F-250/F-350/F-450 Bed Lengths: Shortbed 6.75'/Longbed 8'

#### F-250 Regular Cab

F-250 Reg Cab LB 2WD	6.2L V-8	13,000/13,300 (i)
F-250 Reg Cab LB 2WD	6.2L V-8	13,000/14,000 (i)
F-250 Reg Cab LB 2WD	6.7L V-8 TD	14,000/15,000 (f/h)*
F-250 Reg Cab LB 4WD	6.2L V-8	12,900 (i)
F-250 Reg Cab LB 4WD	6.2L V-8	15,000 (i)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	14,000/15,000 (f/h)*

#### F-250 SuperCab

F-250 SuperCab SB 2WD	6.2L V-8	13,000 (i)
F-250 SuperCab SB 2WD	6.2L V-8	13,000/14,000 (i)
F-250 SuperCab SB 2WD	6.7L V-8 TD	14,000/15,000 (f/h)*
F-250 SuperCab SB 4WD	6.2L V-8	12,600 (i)
F-250 SuperCab SB 4WD	6.2L V-8	15,000 (i)
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,000/14,800 (f/h) <sup>5</sup>
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,000/15,000 (f/h)*
F-250 SuperCab LB 2WD	6.2L V-8	12,900 (i)
F-250 SuperCab LB 2WD	6.2L V-8	14,000/15,000 (i)
F-250 SuperCab LB 2WD	6.7L V-8 TD	15,000 (f/h)*
F-250 SuperCab LB 4WD	6.2L V-8	12,500 (i)
F-250 SuperCab LB 4WD	6.2L V-8	15,000 (i)
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,200 (f/h) <sup>4</sup>
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,900 (f/h) <sup>6</sup>
F-250 SuperCab LB 4WD	6.7L V-8 TD	15,000 (f/h,t) <sup>7</sup>

#### F-250 Crew Cab

F-250 CC SB 2WD	6.2L V-8	12,900 (i)
F-250 CC SB 2WD	6.2L V-8	14,000/15,000 (i)
F-250 CC SB 2WD	6.7L V-8 TD	15,000 (f/h)*
F-250 CC SB 4WD	6.2L V-8	12,500 (i)
F-250 CC SB 4WD	6.2L V-8	15,000 (i)
F-250 CC SB 4WD	6.7L V-8 TD	14,100 (f/h) <sup>3</sup>
F-250 CC SB 4WD	6.7L V-8 TD	14,700 (f/h) <sup>5</sup>
F-250 CC SB 4WD	6.7L V-8 TD	15,000 (f/h,t) <sup>8</sup>
F-250 CC LB 2WD	6.2L V-8	12,700 (i)
F-250 CC LB 2WD	6.2L V-8	14,000/15,000 (i)
F-250 CC LB 2WD	6.7L V-8 TD	15,000 (f/h)
F-250 CC LB 2WD	6.7L V-8 TD	18,000 (f/h,t) <sup>8</sup>
F-250 CC LB 4WD	6.2L V-8	12,300 (i)
F-250 CC LB 4WD	6.2L V-8	14,800 (i)
F-250 CC LB 4WD	6.7L V-8 TD	12,500 (f/h) <sup>1</sup>
F-250 CC LB 4WD	6.7L V-8 TD	13,200 (f/h) <sup>2</sup>
F-250 CC LB 4WD	6.7L V-8 TD	17,500 (f/h,t)

\*May require tow package depending on GCWR selected. Consult Ford's 2018 RV & Trailer Towing Guide or dealer for details.

GCWR exceptions (lbs.): <sup>1</sup>20,600, <sup>2</sup>21,300, <sup>3</sup>21,900, <sup>4</sup>22,000, <sup>5</sup>22,500, <sup>6</sup>22,700,

<sup>7</sup>25,200, <sup>8</sup>25,700.

## F-250 SRW FIFTH-WHEEL TOWING

### F-250 Regular Cab

F-250 Reg Cab LB 2WD	6.2L V-8	13,200 (i)
F-250 Reg Cab LB 2WD	6.2L V-8	15,700 (i)

F-250 Reg Cab LB 2WD	6.7L V-8 TD	16,400 (f/h)
F-250 Reg Cab LB 2WD	6.7L V-8 TD	18,000 (f/h,t)
F-250 Reg Cab LB 4WD	6.2L V-8	12,800 (i)
F-250 Reg Cab LB 4WD	6.2L V-8	15,300 (i)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	16,000 (f/h)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	16,400 (f/h,t)

### F-250 SuperCab

F-250 SuperCab SB 2WD	6.2L V-8	13,000 (i)
F-250 SuperCab SB 2WD	6.2L V-8	15,500 (i)
F-250 SuperCab SB 2WD	6.7L V-8 TD	16,200 (f/h)
F-250 SuperCab SB 2WD	6.7L V-8 TD	17,300 (f/h,t)
F-250 SuperCab SB 4WD	6.2L V-8	12,600 (i)
F-250 SuperCab SB 4WD	6.2L V-8	15,100 (i)
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,700 (f/h,t)
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,800 (f/h)
F-250 SuperCab SB 4WD	6.7L V-8 TD	15,400 (f/h) <sup>2</sup>
F-250 SuperCab LB 2WD	6.2L V-8	12,900 (i)
F-250 SuperCab LB 2WD	6.2L V-8	15,400 (i)
F-250 SuperCab LB 2WD	6.7L V-8 TD	16,000 (f/h)
F-250 SuperCab LB 2WD	6.7L V-8 TD	16,400 (f/h,t)
F-250 SuperCab LB 4WD	6.2L V-8	12,500 (i)
F-250 SuperCab LB 4WD	6.2L V-8	15,000 (i)
F-250 SuperCab LB 4WD	6.7L V-8 TD	13,900 (f/h,t) <sup>4</sup>
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,000 (f/h)
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,700 (f/h) <sup>5</sup>

### F-250 Crew Cab

F-250 CC SB 2WD	6.2L V-8	12,900 (i)
F-250 CC SB 2WD	6.2L V-8	15,400 (i)
F-250 CC SB 2WD	6.7L V-8 TD	16,000 (f/h)
F-250 CC SB 2WD	6.7L V-8 TD	16,500 (f/h,t)
F-250 CC SB 4WD	6.2L V-8	12,500 (i)
F-250 CC SB 4WD	6.2L V-8	15,000 (i)
F-250 CC SB 4WD	6.7L V-8 TD	14,000 (f/h,t) <sup>3</sup>
F-250 CC SB 4WD	6.7L V-8 TD	14,100 (f/h)
F-250 CC SB 4WD	6.7L V-8 TD	14,700 (f/h) <sup>5</sup>
F-250 CC LB 2WD	6.2L V-8	12,600 (i)
F-250 CC LB 2WD	6.2L V-8	15,100 (i)
F-250 CC LB 2WD	6.7L V-8 TD	15,000 (f/h)
F-250 CC LB 2WD	6.7L V-8 TD	15,000 (f/h,t) <sup>2</sup>
F-250 CC LB 2WD	6.7L V-8 TD	15,700 (f/h) <sup>3</sup>
F-250 CC LB 4WD	6.2L V-8	12,200 (i)
F-250 CC LB 4WD	6.2L V-8	14,700 (i)
F-250 CC LB 4WD	6.7L V-8 TD	12,200 (f/h)
F-250 CC LB 4WD	6.7L V-8 TD	12,200 (f/h,t) <sup>1</sup>
F-250 CC LB 4WD	6.7L V-8 TD	12,900 (f/h) <sup>2</sup>

GCWR exceptions (lbs.): <sup>1</sup>20,900, <sup>2</sup>21,300, <sup>3</sup>22,200, <sup>4</sup>22,400, <sup>5</sup>22,500, <sup>6</sup>22,700,

<sup>7</sup>23,100, <sup>8</sup>23,500.

## F-350 SRW CONVENTIONAL TOWING

### WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

#### F-350 Regular Cab

F-350 Reg Cab 2WD	6.2L V-8	13,000/13,100 (i)
F-350 Reg Cab 2WD	6.2L V-8	13,000/14,000 (i)

F-350 Reg Cab 2WD	6.7L V-8 TD	14,000/15,000 (f/h)
F-350 Reg Cab 4WD	6.2L V-8	12,600 (i)
F-350 Reg Cab 4WD	6.2L V-8	15,000 (i)
F-350 Reg Cab 4WD	6.7L V-8 TD	14,000/15,000 (f/h)

#### F-350 SuperCab

F-350 SuperCab SB 2WD	6.2L V-8	12,800 (i)
F-350 SuperCab SB 2WD	6.2L V-8	13,000/14,000 (i)
F-350 SuperCab SB 2WD	6.7L V-8 TD	14,000/15,000 (f/h)
F-350 SuperCab SB 4WD	6.2L V-8	12,400 (i)
F-350 SuperCab SB 4WD	6.2L V-8	15,000 (i)
F-350 SuperCab SB 4WD	6.7L V-8 TD	14,000/14,700 (f/h)
F-350 SuperCab SB 4WD	6.7L V-8 TD	14,000/15,000 (f/h) <sup>7</sup>
F-350 SuperCab LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB 2WD	6.2L V-8	15,000 (i)
F-350 SuperCab LB 2WD	6.7L V-8 TD	15,000 (f/h)
F-350 SuperCab LB 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB 4WD	6.2L V-8	15,000 (i)
F-350 SuperCab LB 4WD	6.7L V-8 TD	14,000 (f/h)
F-350 SuperCab LB 4WD	6.7L V-8 TD	15,000 (f/h) <sup>7</sup>

#### F-350 Crew Cab

F-350 CC SB 2WD	6.2L V-8	12,700 (i)
F-350 CC SB 2WD	6.2L V-8	15,000 (i)
F-350 CC SB 2WD	6.7L V-8 TD	15,000 (f/h)
F-350 CC SB 4WD	6.2L V-8	12,300 (i)
F-350 CC SB 4WD	6.2L V-8	15,000 (i)
F-350 CC SB 4WD	6.7L V-8 TD	13,600 (f/h) <sup>2</sup>
F-350 CC SB 4WD	6.7L V-8 TD	15,000 (f/h)
F-350 CC LB 2WD	6.2L V-8	12,500 (i)
F-350 CC LB 2WD	6.2L V-8	15,000 (i)
F-350 CC LB 2WD	6.7L V-8 TD	14,800 (f/h) <sup>3</sup>
F-350 CC LB 2WD	6.7L V-8 TD	18,000 (f/h)
F-350 CC LB 4WD	6.2L V-8	12,000 (i)
F-350 CC LB 4WD	6.2L V-8	15,000 (i)
F-350 CC LB 4WD	6.7L V-8 TD	12,000 (f/h) <sup>1</sup>
F-350 CC LB 4WD	6.7L V-8 TD	18,000 (f/h)

GCWR exceptions (lbs.): <sup>1</sup>20,200, <sup>2</sup>21,600, <sup>3</sup>22,600, <sup>4</sup>28,200, <sup>5</sup>28,400, <sup>6</sup>28,600.

<sup>7</sup>28,700

#### F-350 SRW FIFTH-WHEEL TOWING

##### F-350 Regular Cab

F-350 Reg Cab 2WD	6.2L V-8	13,000 (i)
F-350 Reg Cab 2WD	6.2L V-8	16,500 (i)
F-350 Reg Cab 2WD	6.7L V-8 TD	18,000 (f/h)
F-350 Reg Cab 4WD	6.2L V-8	12,600 (i)
F-350 Reg Cab 4WD	6.2L V-8	16,100 (i)
F-350 Reg Cab 4WD	6.7L V-8 TD	15,400 (f/h)

##### F-350 SuperCab

F-350 SuperCab SB 2WD	6.2L V-8	12,800 (i)
F-350 SuperCab SB 2WD	6.2L V-8	16,300 (i)
F-350 SuperCab SB 2WD	6.7L V-8 TD	17,500 (f/h)
F-350 SuperCab SB 4WD	6.2L V-8	12,400 (i)

F-350 SuperCab SB 4WD	6.2L V-8	15,900 (i)
F-350 SuperCab SB 4WD	6.7L V-8 TD	14,700 (f/h) <sup>4</sup>
F-350 SuperCab LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB 2WD	6.2L V-8	16,200 (i)
F-350 SuperCab LB 2WD	6.7L V-8 TD	16,600 (f/h)
F-350 SuperCab LB 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB 4WD	6.2L V-8	15,800 (i)
F-350 SuperCab LB 4WD	6.7L V-8 TD	13,900 (f/h) <sup>3</sup>

#### F-350 Crew Cab

F-350 CC SB 2WD	6.2L V-8	12,600 (i)
F-350 CC SB 2WD	6.2L V-8	16,100 (i)
F-350 CC SB 2WD	6.7L V-8 TD	16,300 (f/h)
F-350 CC SB 2WD	6.7L V-8 TD	18,000 (f/h) <sup>6*</sup>
F-350 CC SB 4WD	6.2L V-8	12,200 (i)
F-350 CC SB 4WD	6.2L V-8	15,700 (i)
F-350 CC SB 4WD	6.7L V-8 TD	13,600 (f/h) <sup>2</sup>
F-350 CC SB 4WD	6.7L V-8 TD	18,000 (f/h) <sup>6</sup>
F-350 CC LB 2WD	6.2L V-8	12,400 (i)
F-350 CC LB 2WD	6.2L V-8	15,900 (i)
F-350 CC LB 2WD	6.7L V-8 TD	14,800 (f/h) <sup>5</sup>
F-350 CC LB 2WD	6.7L V-8 TD	18,000 (f/h) <sup>7*</sup>
F-350 CC LB 4WD	6.2L V-8	12,000 (i)
F-350 CC LB 4WD	6.2L V-8	15,500 (i)
F-350 CC LB 4WD	6.7L V-8 TD	12,000 (f/h) <sup>1</sup>
F-350 CC LB 4WD	6.7L V-8 TD	18,000 (f/h) <sup>6*</sup>

GCWR exceptions (lbs.): <sup>2</sup>20,200, <sup>2</sup>21,600, <sup>3</sup>21,900, <sup>2</sup>22,500, <sup>5</sup>22,600, <sup>6</sup>28,200.

<sup>7</sup>28,400, <sup>8</sup>28,600.

\*17" tires

#### F-350/F-450 DRW CONVENTIONAL TOWING

##### WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

##### F-350 Regular Cab

F-350 Reg Cab DRW 2WD	6.2L V-8	13,200 (i)
F-350 Reg Cab DRW 2WD	6.2L V-8	16,700 (i)
F-350 Reg Cab DRW 2WD	6.7L V-8 TD	18,000/21,000 (h/k)
F-350 Reg Cab DRW 4WD	6.2L V-8	12,700 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	16,200 (i)
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	18,000/20,000 (h/k)

##### F-350 SuperCab

F-350 SuperCab LB DRW 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB DRW 2WD	6.2L V-8	16,200 (i)
F-350 SuperCab LB DRW 2WD	6.7L V-8 TD	18,000/21,000 (h/k)
F-350 SuperCab LB DRW 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB DRW 4WD	6.2L V-8	15,800 (i)
F-350 SuperCab LB DRW 4WD	6.7L V-8 TD	19,000/21,000 (h/k)

##### F-350/F-450 Crew Cab

F-350 CC LB DRW 2WD	6.2L V-8	12,500 (i)
F-350 CC LB DRW 2WD	6.2L V-8	16,000 (i)
F-350 CC LB DRW 2WD	6.7L V-8 TD	19,000/21,000 (h/k)
F-350 CC LB DRW 4WD	6.2L V-8	12,100 (i)
F-350 CC LB DRW 4WD	6.2L V-8	15,600 (i)

# 2018 TOW RATINGS

F-350 CC LB DRW 4WD	6.7L V-8 TD	21,000 (h/k)
F-450 CC LB DRW 2WD/4WD	6.7L V-8 TD	21,000 (l)

## F-350/F-450 DRW FIFTH-WHEEL TOWING

### F-350 Regular Cab

F-350 Reg Cab DRW 2WD	6.2L V-8	13,100 (i)
F-350 Reg Cab DRW 2WD	6.2L V-8	16,600 (l)
F-350 Reg Cab DRW 2WD	6.7L V-8 TD	27,500 (h/k)
F-350 Reg Cab DRW 4WD	6.2L V-8	12,700 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	16,200 (l)
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	27,500 (h/k)

### F-350 SuperCab

F-350 SuperCab DRW LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab DRW LB 2WD	6.2L V-8	16,200 (l)
F-350 SuperCab DRW LB 2WD	6.7L V-8 TD	27,500 (h/k)
F-350 SuperCab DRW LB 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab DRW LB 4WD	6.2L V-8	15,800 (l)
F-350 SuperCab DRW LB 4WD	6.7L V-8 TD	27,500 (h/k)

### F-350/F-450 Crew Cab

F-350 CC LB DRW 2WD	6.2L V-8	12,500 (i)
F-350 CC LB DRW 2WD	6.2L V-8	16,000 (l)
F-350 CC LB DRW 2WD	6.7L V-8 TD	27,500 (h/k)
F-350 CC LB DRW 4WD	6.2L V-8	12,000 (i)
F-350 CC LB DRW 4WD	6.2L V-8	15,500 (l)
F-350 CC LB DRW 4WD	6.7L V-8 TD	27,300 (h)
F-350 CC LB DRW 4WD	6.7L V-8 TD	27,500 (k)
F-450 CC LB DRW 2WD/4WD	6.7L V-8 TD	27,500 (l)

## LINCOLN

MKC	All	3,000 (t)**
MKT FWD	3.7L V-6	2,000 (t)
MKT AWD	3.5L V-6 TC	4,500 (t)
MKX FWD/AWD	All	3,500 (t)
Navigator 2WD	3.5L V-6 TC	6,200*
Navigator 2WD	3.5L V-6 TC	8,700 (t)*
Navigator 4WD	3.5L V-6 TC	6,200*
Navigator 4WD	3.5L V-6 TC	8,300 (t)*
Navigator L 2WD/4WD	3.5L V-6 TC	6,600*
Navigator L 2WD	3.5L V-6 TC	8,400 (t)*
Navigator L 4WD	3.5L V-6 TC	8,100 (t)*

\*Maximum loaded trailer weight requires weight-distributing hitch.

\*\*Certain states require electric trailer brakes for trailers over a specified weight.

Maximum trailer weight listed may be limited to this specified weight, as the electrical system does not include the wiring connector needed to activate electric trailer brakes.

## TRANSIT VAN

### T-150/250 Regular Wheelbase

Transit T-150/250 RWB LR	3.7L V-6	5,400 (i,t)
Transit T-150/250 RWB LR	3.7L V-6	6,600 (k,t)
Transit T-150/250 RWB LR	3.5L V-6 TC	5,700 (f,t)
Transit T-150/250 RWB LR	3.5L V-6 TC	7,100 (i,t)
Transit T-150/250 RWB LR	3.2L I-5 TD	4,800 (f,t)

Transit T-150/250 RWB MR	3.7L V-6	5,200 (i,t)
Transit T-150/250 RWB MR	3.7L V-6	6,400 (k,t)
Transit T-150/250 RWB MR	3.5L V-6 TC	5,500 (f,t)
Transit T-150/250 RWB MR	3.5L V-6 TC	6,900 (i,t)
Transit T-150/250 RWB MR	3.2L I-5 TD	4,600 (f,t)

### T-150/250 Long Wheelbase

Transit T-150/250 LWB LR	3.7L V-6	5,200 (i,t)
Transit T-150/250 LWB LR	3.7L V-6	6,400 (k,t)
Transit T-150/250 LWB LR	3.5L V-6 TC	5,600 (f,t)
Transit T-150/250 LWB LR	3.5L V-6 TC	7,000 (i,t)
Transit T-150/250 LWB LR	3.2L I-5 TD	4,600 (f,t)
Transit T-150/250 LWB LR	3.2L I-5 TD	7,500 (i,t)
Transit T-150/250 LWB MR	3.7L V-6	5,100 (i,t)
Transit T-150/250 LWB MR	3.7L V-6	6,300 (k,t)
Transit T-150/250 LWB MR	3.5L V-6 TC	5,400 (f,t)
Transit T-150/250 LWB MR	3.5L V-6 TC	6,800 (i,t)
Transit T-150/250 LWB MR	3.2L I-5 TD	4,500 (f,t)
Transit T-150/250 LWB MR	3.2L I-5 TD	7,400 (i,t)

### T-250 Long Wheelbase

Transit T-250 LWB HR	3.7L V-6	6,200 (k,t)
Transit T-250 LWB HR	3.5L V-6 TC	5,300 (f,t)
Transit T-250 LWB HR	3.5L V-6 TC	6,700 (i,t)
Transit T-250 LWB HR	3.2L I-5 TD	4,400 (f,t)
Transit T-250 LWB HR	3.2L I-5 TD	7,300 (i,t)
Transit T-250 LWB EL HR	3.7L V-6	6,000 (k,t)
Transit T-250 LWB EL HR	3.5L V-6 TC	5,100 (f,t)
Transit T-250 LWB EL HR	3.5L V-6 TC	6,500 (i,t)
Transit T-250 LWB EL HR	3.2L I-5 TD	4,200 (f,t)
Transit T-250 LWB EL HR	3.2L I-5 TD	7,100 (i,t)

### T-350 Regular Wheelbase

Transit T-350 RWB LR	3.7L V-6	5,400 (i,t)
Transit T-350 RWB LR	3.7L V-6	6,600 (k,t)
Transit T-350 RWB LR	3.5L V-6 TC	5,700 (f,t)
Transit T-350 RWB LR	3.5L V-6 TC	7,100 (i,t)
Transit T-350 RWB LR	3.2L I-5 TD	4,800 (f,t)
Transit T-350 RWB MR	3.7L V-6	5,200 (i,t)
Transit T-350 RWB MR	3.7L V-6	6,400 (k,t)
Transit T-350 RWB MR	3.5L V-6 TC	5,500 (f,t)
Transit T-350 RWB MR	3.5L V-6 TC	6,900 (i,t)
Transit T-350 RWB MR	3.2L I-5 TD	4,600 (f,t)

### T-350 Long Wheelbase

Transit T-350 LWB LR	3.7L V-6	5,200 (i,t)
Transit T-350 LWB LR	3.7L V-6	6,400 (k,t)
Transit T-350 LWB LR	3.5L V-6 TC	5,600 (f,t)
Transit T-350 LWB LR	3.5L V-6 TC	7,000 (i,t)
Transit T-350 LWB MR	3.7L V-6	5,100 (i,t)
Transit T-350 LWB MR	3.7L V-6	6,300 (k,t)
Transit T-350 LWB MR	3.5L V-6 TC	5,400 (f,t)
Transit T-350 LWB MR	3.5L V-6 TC	6,800 (i,t)



Transit T-350 LWB HR	3.7L V-6	6,200 (k,t)
Transit T-350 LWB HR	3.5L V-6 TC	5,300 (f,t)
Transit T-350 LWB HR	3.5L V-6 TC	6,700 (i,t)
Transit T-350 LWB EL HR	3.7L V-6	6,000 (k,t)
Transit T-350 LWB EL HR	3.5L V-6 TC	5,100 (f,t)
Transit T-350 LWB EL HR	3.5L V-6 TC	6,500 (i,t)
Transit T-350 LWB EL HR	3.5L V-6 TC	6,700 (i,t)*
Transit T-350 LWB EL HR	3.2L I-5 TD	4,200 (f,t)
Transit T-350 LWB EL HR	3.2L I-5 TD	7,100 (i,t)

\*GCWR 13,000 lbs.

## TRANSIT WAGON

### T-150 Regular Wheelbase

Transit T-150 RWB LR	3.7L V-6	4,700 (i,t)
Transit T-150 RWB LR	3.7L V-6	5,100 (k,t)
Transit T-150 RWB LR	3.5L V-6 TC	5,100 (f/i,t)
Transit T-150 RWB MR	3.7L V-6	4,500 (i,t)
Transit T-150 RWB MR	3.7L V-6	4,900 (k,t)
Transit T-150 RWB MR	3.5L V-6 TC	4,900 (f/i,t)

### T-350 Long Wheelbase

Transit T-350 LWB LR	3.7L V-6	4,300 (i,t)
Transit T-350 LWB LR	3.7L V-6	4,700 (k,t)
Transit T-350 LWB LR	3.5L V-6 TC	4,600 (f/i,t)
Transit T-350 LWB LR	3.2L I-5 TD	3,800 (f,t)
Transit T-350 LWB LR	3.2L I-5 TD	4,400 (i,t)
Transit T-350 LWB MR	3.7L V-6	4,100 (i,t)
Transit T-350 LWB MR	3.7L V-6	4,500 (k,t)
Transit T-350 LWB MR	3.5L V-6 TC	4,500 (f/i,t)
Transit T-350 LWB MR	3.2L I-5 TD	3,600 (f,t)
Transit T-350 LWB MR	3.2L I-5 TD	4,200 (i,t)
Transit T-350 LWB HR	3.7L V-6	4,500 (k,t)
Transit T-350 LWB HR	3.5L V-6 TC	4,400 (f/i,t)
Transit T-350 LWB HR	3.2L I-5 TD	3,500 (f,t)
Transit T-350 LWB HR	3.2L I-5 TD	4,100 (i,t)
Transit T-350 LWB EL HR	3.5L V-6 TC	3,800 (i,t)
Transit T-350 LWB EL HR	3.2L I-5 TD	3,500 (i,t)

For trailers over 5,000 lbs., heavy-duty trailer tow package required.

## GENERAL MOTORS

### BUICK

Enclave Avenir	3.6L V-6	5,000 (t)
Enclave	3.6L V-6	5,000 (t)

### CADILLAC

Escalade 2WD	6.2L V-8	8,300
Escalade 4WD	6.2L V-8	8,100
Escalade ESV 2WD	6.2L V-8	8,100
Escalade ESV 4WD	6.2L V-8	7,900
XT5 FWD/AWD	3.6L V-6	3,500 (t)

### CHEVROLET COLORADO/GMC CANYON

Colorado/Canyon	2.5L I-4	3,500
-----------------	----------	-------

Colorado/Canyon CC 2WD	2.8L TD	7,700
Colorado/Canyon CC 4WD	2.8L TD	7,600
Colorado Ext Cab	2.8L TD	7,700
Colorado/Canyon	3.6L V-6	7,000 (t)
Colorado ZR2	All	5,000

### CHEVROLET EQUINOX, TRAVERSE/GMC ACADIA, TERRAIN

Chevrolet Equinox/GMC Terrain	2.0L I-4 TC	3,500 (t)
Chevrolet Traverse	3.6L V-6	5,000 (t)
GMC Acadia	3.6L V-6	4,000 (t)
GMC Acadia Denali	3.6L V-6	4,000

### CHEVROLET EXPRESS/GMC SAVANA

Express/Savana 2500 CV	4.3L V-8	7,200 (t)
Express/Savana 2500 CV	6.0L V-8	10,000 (t)
Express/Savana 2500 CV	2.8L I-4 TD	6,800 (t)
Express/Savana 2500 LWB CV	4.3L V-8	6,900 (t)
Express/Savana 2500 LWB CV	6.0L V-8	9,800 (t)
Express/Savana 2500 LWB CV	2.8L I-4 TD	6,500 (t)
Express/Savana 2500 PV	4.3L V-8	6,500 (t)
Express/Savana 2500 PV	6.0L V-8	9,400 (t)
Express/Savana 2500 PV	2.8L I-4 TD	6,100 (t)
Express/Savana 3500 CV	4.3L V-8	7,200 (t)
Express/Savana 3500 CV	6.0L V-8	10,000 (t)
Express/Savana 3500 CV	2.8L I-4 TD	6,800 (t)
Express/Savana 3500 LWB CV	4.3L V-8	7,000 (t)
Express/Savana 3500 LWB CV	6.0L V-8	9,900 (t)
Express/Savana 3500 LWB CV	2.8L I-4 TD	6,500 (t)
Express/Savana 3500 PV	4.3L V-8	6,500 (t)
Express/Savana 3500 PV	6.0L V-8	9,400 (t)
Express/Savana 3500 PV	2.8L I-4 TD	6,000 (t)
Express/Savana 3500 LWB PV	4.3L V-8	6,100 (t)
Express/Savana 3500 LWB PV	6.0L V-8	9,000 (t)
Express/Savana 3500 LWB PV	2.8L I-4 TD	5,700 (t)

### CHEVROLET SILVERADO/GMC SIERRA 1500

#### CONVENTIONAL/FIFTH-WHEEL TOWING

Chevy/GMC Bed Lengths: Shortbed 5'8"/Standard 6.5'/Longbed 8'

#### 1500 Regular Cab

1500 Reg Cab Std Bed 2WD	4.3L V-6	6,000/6,000 (e,t)
1500 Reg Cab Std Bed 2WD	5.3L V-8	6,900/6,900 (h,t)
1500 Reg Cab Std Bed 2WD	5.3L V-8	8,900/8,900 (g,t)
1500 Reg Cab Std Bed 4WD	4.3L V-6	7,600/7,500 (g,t)
1500 Reg Cab Std Bed 4WD	5.3L V-8	6,600/6,600 (h,t)
1500 Reg Cab Std Bed 4WD	5.3L V-8	8,600/8,600 (g,t)
1500 Reg Cab LB 2WD	4.3L V-6	5,900/5,900 (e,t)
1500 Reg Cab LB 2WD	5.3L V-8	6,800/6,700 (h,t)
1500 Reg Cab LB 2WD	5.3L V-8	9,800/9,700 (g,t)
1500 Reg Cab LB 4WD	4.3L V-6	7,400/7,400 (g,t)
1500 Reg Cab LB 4WD	5.3L V-8	6,500/6,500 (h,t)
1500 Reg Cab LB 4WD	5.3L V-8	9,500/9,500 (g,t)

## 1500 Double Cab

1500 DC 2WD	4.3L V-6	5,600/5,600 (e,t)
1500 DC 2WD	5.3L V-8	6,400/6,400 (b,t)
1500 DC 2WD	5.3L V-8	9,400/9,400 (a8,g,t)
1500 DC 2WD	5.3L V-8	11,100/11,000 (i,t)
1500 DC 2WD	6.2L V-8	9,400/9,000 (a8*,e,t)
1500 DC 2WD	6.2L V-8	12,500/11,600 (a8*,g,t)
1500 DC 4WD	4.3L V-6	7,100/7,000 (g,t)
1500 DC 4WD	5.3L V-8	6,200/6,200 (b,t)
1500 DC 4WD	5.3L V-8	9,200/9,000 (a8,g,t)
1500 DC 4WD	5.3L V-8	10,800/10,800 (i,t)
1500 DC 4WD	6.2L V-8	9,100/8,600 (a8*,e,t)
1500 DC 4WD	6.2L V-8	11,800/11,000 (a8*,g,t)

## 1500 Crew Cab

1500 CC SB 2WD	4.3L V-6	5,500 (e,t)
1500 CC SB 2WD	5.3L V-8	6,400 (b,t)
1500 CC SB 2WD	5.3L V-8	9,400 (a8,g,t)
1500 CC SB 2WD	5.3L V-8	11,000 (i,t)
1500 CC SB 2WD	6.2L V-8	9,300 (a8,e,t)
1500 CC SB 2WD	6.2L V-8	12,500 (a8,g,t)
1500 CC SB 4WD	4.3L V-6	7,000 (g,t)
1500 CC SB 4WD	5.3L V-8	6,100 (b,t)
1500 CC SB 4WD	5.3L V-8	9,100 (a8,g,t)
1500 CC SB 4WD	5.3L V-8	10,700 (i,t)
1500 CC SB 4WD	6.2L V-8	9,100 (a8,e,t)
1500 CC SB 4WD	6.2L V-8	11,700 (a8,g,t)
1500 CC Std Bed 2WD	5.3L V-8	6,300/6,300 (b,t)
1500 CC Std Bed 2WD	5.3L V-8	9,300/8,500 (g,t)
1500 CC Std Bed 2WD	5.3L V-8	11,000/10,700 (a8*,i,t)
1500 CC Std Bed 2WD	6.2L V-8	9,300/8,300 (a8*,e,t)
1500 CC Std Bed 2WD	6.2L V-8	11,900/10,500 (a8*,g,t)
1500 CC Std Bed 4WD	5.3L V-8	6,100/6,000 (b,t)
1500 CC Std Bed 4WD	5.3L V-8	9,100/8,100 (a8,g,t)
1500 CC Std Bed 4WD	5.3L V-8	10,700/10,300 (i,t)
1500 CC Std Bed 4WD	6.2L V-8	9,000/8,000 (a8*,e,t)
1500 CC Std Bed 4WD	6.2L V-8	11,700/10,200 (a8*,g,t)

Conventional towing only, if single tow limit listed.

\*8-speed automatic transmission required for maximum trailering capacity with conventional towing.

## CHEVROLET SILVERADO/GMC SIERRA 2500 CONVENTIONAL/FIFTH-WHEEL TOWING

### 2500 Regular Cab

2500 Reg Cab LB 2WD	6.0L V-8	14,500/14,800 (k)
2500 Reg Cab LB 2WD	6.6L V-8 TD	14,500/18,100 (i)
2500 Reg Cab LB 4WD	6.0L V-8	14,500/14,500 (k)
2500 Reg Cab LB 4WD	6.6L V-8 TD	14,500/15,900 (i)

### 2500 Double Cab

2500 DC Std Bed 2WD	6.0L V-8	13,000/14,500 (k)
2500 DC Std Bed 2WD	6.6L V-8 TD	13,000/16,400 (i)
2500 DC Std Bed 4WD	6.0L V-8	13,000/14,200 (k)
2500 DC Std Bed 4WD	6.6L V-8 TD	13,000/14,400 (i)

2500 DC LB 2WD	6.0L V-8	14,400/14,400 (k)
2500 DC LB 2WD	6.6L V-8 TD	14,500/15,700 (i)
2500 DC LB 4WD	6.0L V-8	14,100/14,100 (k)
2500 DC LB 4WD	6.6L V-8 TD	14,500/13,700 (i)

### 2500 Crew Cab

2500 CC Std Bed 2WD	6.0L V-8	13,000/14,300 (k)
2500 CC Std Bed 2WD	6.6L V-8 TD	13,000/15,400 (i)
2500 CC Std Bed 4WD	6.0L V-8	13,000/14,000 (k)
2500 CC Std Bed 4WD	6.6L V-8 TD	13,000/13,500 (i)
2500 CC LB 2WD	6.0L V-8	14,300/14,200 (k)
2500 CC LB 2WD	6.6L V-8 TD	14,500/14,800 (i)
2500 CC LB 4WD	6.0L V-8	13,900/13,900 (k)
2500 CC LB 4WD	6.6L V-8 TD	14,500/12,400 (i)

## CHEVROLET SILVERADO/GMC SIERRA 3500 CONVENTIONAL/FIFTH-WHEEL TOWING

### 3500 Regular Cab

3500 Reg Cab LB SRW 2WD	6.0L V-8	14,500/14,600 (k)
3500 Reg Cab LB SRW 4WD	6.0L V-8	14,300/14,300 (k)
3500 Reg Cab LB SRW 4WD	6.6L V-8 TD	14,500/17,600 (i)
3500 Reg Cab LB DRW 2WD	6.0L V-8	14,300/14,300 (k)
3500 Reg Cab LB DRW 4WD	6.0L V-8	14,000/13,900 (k)
3500 Reg Cab LB DRW 4WD	6.6L V-8 TD	20,000/23,300 (i)

### 3500 Double Cab

3500 DC LB SRW 2WD	6.0L V-8	14,200/14,200 (k)
3500 DC LB SRW 2WD	6.6L V-8 TD	14,500/17,500 (i)
3500 DC LB SRW 4WD	6.0L V-8	13,900/13,900 (k)
3500 DC LB SRW 4WD	6.6L V-8 TD	14,500/17,200 (i)
3500 DC LB DRW 2WD	6.0L V-8	13,800/13,800 (k)
3500 DC LB DRW 2WD	6.6L V-8 TD	20,000/23,200 (i)
3500 DC LB DRW 4WD	6.0L V-8	13,600/13,500 (k)
3500 DC LB DRW 4WD	6.6L V-8 TD	20,000/22,900 (i)

### 3500 Crew Cab

3500 CC Std Bed SRW 2WD	6.0L V-8	13,000/14,200 (k)
3500 CC Std Bed SRW 2WD	6.6L V-8 TD	13,000/17,500 (i)
3500 CC Std Bed SRW 4WD	6.0L V-8	13,000/13,900 (k)
3500 CC Std Bed SRW 4WD	6.6L V-8 TD	13,000/17,200 (i)
3500 CC LB SRW 2WD	6.0L V-8	14,100/14,000 (k)
3500 CC LB SRW 2WD	6.6L V-8 TD	14,500/17,400 (i)
3500 CC LB DRW 2WD	6.0L V-8	13,700/13,700 (k)
3500 CC LB DRW 2WD	6.6L V-8 TD	20,000/23,100 (i)
3500 CC LB SRW 4WD	6.0L V-8	13,700/13,700 (k)
3500 CC LB SRW 4WD	6.6L V-8 TD	15,000/17,000 (i)
3500 CC LB DRW 4WD	6.0L V-8	13,400/13,300 (k)
3500 CC LB DRW 4WD	6.6L V-8 TD	20,000/22,700 (i)

Ratings for Sierra Denali HD models may vary slightly. See dealer for details.

Fifth-wheel towing requires gooseneck/fifth-wheel prep package.

## CHEVROLET SUBURBAN, TAHOE/GMC YUKON

Suburban/Yukon XL 2WD	5.3L V-8	6,300 (b)
-----------------------	----------	-----------

Suburban/Yukon XL 2WD	5.3L V-8	8,300 (g,t)
Suburban/Yukon XL 4WD	5.3L V-8	6,000 (b)
Suburban/Yukon XL 4WD	5.3L V-8	8,000 (g,t)
Tahoe/Yukon 2WD	5.3L V-8	8,500 (g,t)
Tahoe/Yukon 2WD	5.3L V-8	6,500 (b)
Tahoe/Yukon 4WD	5.3L V-8	6,300 (b)
Tahoe/Yukon 4WD	5.3L V-8	8,200 (g,t)
Tahoe/Yukon Denali 2WD	6.2L V-8	8,400 (e)
Tahoe/Yukon Denali 4WD	6.2L V-8	8,100 (e)
Yukon XL Denali 2WD	6.2L V-8	8,100 (e)
Yukon XL Denali 4WD	6.2L V-8	7,900 (e)

Ratings for Tahoe and Yukon models may vary slightly. See dealer for details.

## HONDA

Odyssey	3.5L V-6	3,000 (a9,t)
Odyssey	3.5L V-6	3,500 (a10,t)
Pilot 2WD	3.5L V-6	3,500 (t)
Pilot AWD	3.5L V-6	5,000 (t)
Ridgeline 2WD	3.5L V-6	3,500 (t)
Ridgeline AWD	3.5L V-6	5,000 (t)

## HYUNDAI

Santa Fe	3.3L V-6	5,000 (t)
Santa Fe Sport	2.4L I-4	2,000 (t)
Santa Fe Sport	2.0L I-4 TC	3,500 (t)

## INFINITI

QX60	3.5L V-6	5,000 (t)
QX80	5.6L V-8	8,500 *

\*2017 tow rating; 2018 rating not available at press time.

## KIA

Sedona	3.3L V-6	3,500 (t)
Sorento FWD/AWD	2.4L I-4	2,000 (t)
Sorento FWD/AWD	2.0L I-4 TC	3,500 (t)
Sorento FWD	3.3L V-6	3,500 (t)
Sorento AWD	3.3L V-6	5,000 (t)
Sportage FWD/AWD	All	2,000 (t)*

\*With trailer brakes

## LAND ROVER

Land Rover Discovery	3.0L V-6 TD	7,716 (t)*
Land Rover Discovery	3.0L V-6 SC	8,201 (t)*
Land Rover Discovery Sport	2.0L I-4 TC	4,409 (t)
Range Rover	3.0L V-6 TD	7,716 (t)
Range Rover	3.0L V-6 SC	7,716 (t)
Range Rover	5.0L V-8 SC (518hp)	7,716 (t)
Range Rover	5.0L V-8 SC (557hp)	6,614 (t)
Range Rover Evoque 5-Door	All	3,968 (t)
Range Rover Evoque Convertible	All	3,306 (t)
Range Rover Sport	All	7,716 (t)
Ranger Rover Velar	2.0L I-4 TC/TD	5,291 (t)
Ranger Rover Velar	3.0L V-6 SC	5,512 (t)

\*2017 tow ratings; 2018 ratings not available at press time.

## LEXUS

NX 200t	2.0L I-4 TC	2,000 (t)
RX 350	3.5L V-6	3,500 (t)
RX 450h AWD Hybrid	3.5L V-6	3,500 (t)
GX 460	4.6L V-8	6,500
LX 570	5.7L V-8	7,000

## MAZDA

CX5	2.0L	2,000 (t)
CX9	3.7L V-6	3,500 (t)

## MERCEDES-BENZ

GLC Coupe	All	3,500 (t)
GLC SUV	All	3,500 (t)
GLE Coupe	All	7,200 (t)
GLE SUV AMG	All	7,200 (t)
GLE 350 SUV RWD	3.5L V-6	6,600 (t)
GLE 350 4Matic SUV AWD	3.5L V-6	7,200 (t)
GLE 550e 4Matic AWD Hybrid	3.0L V-6 TC	4,410 (t)
GLS 450/550 4Matic SUV	All	7,200 (t)
GLS 63 SUV AMG	5.5L V-8 TC	7,500 (t)
G-Class SUV	All	7,000

## MITSUBISHI

Outlander GT	3.0L V-6	3,500 (t)
--------------	----------	-----------

## NISSAN

Armada	5.6L V-8	8,500 (t)
Frontier S/SV CC 5' Bed 2WD	4.0L V-6	6,640 (t)
Frontier S/SV CC 5' Bed 4WD	4.0L V-6	6,370 (t)
Frontier SV CC 6'1" Bed 2WD	4.0L V-6	6,500 (t)
Frontier SV CC 6'1" Bed 4WD	4.0L V-6	6,240 (t)
Frontier DR CC 5' Bed 2WD	4.0L V-6	6,610 (t)
Frontier SL CC 5' Bed 2WD	4.0L V-6	6,480 (t)
Frontier SL CC 5' Bed 4WD	4.0L V-6	6,240 (t)
Frontier SL CC 6'1" Bed 4WD	4.0L V-6	6,110 (t)
Frontier PRO-4X CC 5' Bed 4WD	4.0L V-6	6,290 (t)
Frontier S/SV Ext Cab 6'1" Bed 2WD	2.5L I-4	3,790 (t)
Frontier SV Ext Cab 6'1" Bed 2WD	4.0L V-6	6,710 (t)
Frontier SV Ext Cab 6'1" Bed 4WD	4.0L V-6	6,510 (t)
Frontier DR Ext Cab 6'1" Bed 2WD	4.0L V-6	6,690 (t)
Frontier PRO-4X Ext Cab 6'1" Bed 4WD	4.0L V-6	6,450 (t)
Pathfinder	3.5L V-6	6,000 (t)*
Titan Reg Cab 8' Bed 2WD	5.6L V-8	9,740 (t)*
Titan Reg Cab 8' Bed 4WD	5.6L V-8	9,560 (t)*
Titan Ext Cab 6'6" Bed 2WD	5.6L V-8	9,420 (t)*
Titan Ext Cab 6'6" Bed 4WD	5.6L V-8	9,250 (t)*
Titan CC 5'7" Bed 2WD	5.6L V-8	9,400 (t)*
Titan CC 5'7" Bed 4WD	5.6L V-8	9,230 (t)*
Titan XD Reg Cab 8' Bed 2WD	5.0L V-8 TD	12,640/12,760 (t)*
Titan XD Reg Cab 8' Bed 4WD	5.0L V-8 TD	12,360/12,480 (t)*
Titan XD Ext Cab 6'6" Bed 2WD	5.6L V-8	11,380/11,510 (t)*
Titan XD Ext Cab 6'6" Bed 4WD	5.6L V-8	11,060/11,180 (t)*

## 2018 TOW RATINGS

Titan XD Ext Cab 6'6" Bed 2WD	5.0L V-8 TD	12,510/12,630 (t)*
Titan XD Ext Cab 6'6" Bed 4WD	5.0L V-8 TD	12,160/12,160 (t)*
Titan XD CC 6'6" Bed 2WD	5.6L V-8	11,260/11,390 (t)*
Titan XD CC 6'6" Bed 4WD	5.6L V-8	10,990/11,120 (t)*
Titan XD CC 6'6" Bed 2WD	5.0L V-8 TD	12,310/11,900 (t)*
Titan XD CC 6'6" Bed 4WD	5.0L V-8 TD	12,030/11,330 (t)*

Titan XD ratings include conventional/fifth-wheel tow limits.

\*Tow package required for some models, standard on others. See dealer for details.

### PORSCHE

Cayenne S	All	7,716 (t)
Macan	All	4,409 (t)

### SUBARU

Outback	All	2,700
---------	-----	-------

Connector for trailer harness is standard. Hitch receiver/hitch can be added as dealer-installed accessory.

### TOYOTA

4Runner	4.0L V-6	5,000
Highlander	3.5L V-6	5,000 (t)
Highlander Hybrid	3.5L V-6	3,500 (t)
Land Cruiser	5.7L V-8	8,100
RAV4 Adventure FWD	2.5L I-4	2,900 (t)
RAV4 Adventure AWD	2.5L I-4	3,500 (t)
Sequoia SR5 2WD	5.7L V-8	7,400
Sequoia SR5 4WD	5.7L V-8	7,100
Sequoia TRD Sport 2WD	5.7L V-8	7,400
Sequoia TRD Sport 4WD	5.7L V-8	7,100
Sequoia Ltd 2WD	5.7L V-8	7,400
Sequoia Ltd 4WD	5.7L V-8	7,100
Sequoia Platinum 2WD	5.7L V-8	7,200
Sequoia Platinum 4WD	5.7L V-8	7,000
Sienna	3.5L V-6	3,500 (t)

### TACOMA

Tacoma Bed Lengths: Shortbed 5'/Longbed 6'/Access Cab Standard 6'/DC Standard 5'

Tacoma SR Access Cab 2WD/4WD	2.7L I-4	3,500 (t)
Tacoma SR DC 2WD	2.7L V-6	3,500 (t)
Tacoma SR DC 4WD	3.5L V-6	6,400
Tacoma SR5 Access Cab 2WD	3.5L V-6	6,800
Tacoma SR5 DC 2WD	3.5L V-6	6,700
Tacoma SR5 DC 2WD	2.7L I-4	3,500 (t)
Tacoma SR5 DC 4WD	3.5L V-6	6,400
Tacoma SR5 Access Cab 4WD	3.5L V-6	6,500
Tacoma DC 2WD LB	3.5L V-6	6,600
Tacoma TRD Sport Access Cab 2WD	3.5L V-6	6,800
Tacoma TRD Sport Access Cab 4WD	3.5L V-6	6,500
Tacoma TRD Sport DC 2WD SB	3.5L V-6	6,700
Tacoma TRD Sport DC 2WD LB	3.5L V-6	6,600
Tacoma TRD Sport DC 4WD SB/LB	3.5L V-6	6,400
Tacoma TRD Off Road DC 2WD SB	3.5L V-6	6,700

Tacoma TRD Off Road Access Cab 4WD 3.5L V-6	6,500
Tacoma TRD Off Road DC 4WD 3.5L V-6	6,400
Tacoma TRD PRO DC 4WD 3.5L V-6	6,400
Tacoma Limited DC 2WD SB 3.5L V-6	6,600
Tacoma Limited DC 4WD SB 3.5L V-6	6,400

### TUNDRA

Tundra Bed Lengths: DC Standard 6.5'/Longbed 8'1"/CrewMax Standard 5.5'

Tundra SR DC 2WD	4.6L V-8	6,800 (t)
Tundra SR5 DC 2WD	4.6L V-8	6,800 (t)
Tundra SR DC 2WD	5.7L V-8	10,200
Tundra SR5 DC LB 2WD	5.7L V-8	10,100
Tundra SR DC LB 2WD	5.7L V-8	10,100
Tundra Limited DC 2WD	5.7L V-8	10,100
Tundra SR5 CrewMax 2WD	4.6L V-8	6,700 (t)
Tundra SR5 CrewMax 2WD	5.7L V-8	10,100
Tundra Limited CrewMax 2WD	5.7L V-8	9,400
Tundra Platinum CrewMax 2WD	5.7L V-8	9,400
Tundra 1794 CrewMax 2WD	5.7L V-8	9,400
Tundra SR5 DC 4WD	5.7L V-8	9,900
Tundra SR DC 4WD	5.7L V-8	9,900
Tundra SR DC LB 4WD	5.7L V-8	9,800
Tundra SR5 DC LB 4WD	5.7L V-8	9,800
Tundra SR DC Std Bed 4WD	4.6L V-8	6,500
Tundra SR5 DC Std Bed 4WD	4.6L V-8	6,500
Tundra SR DC Std Bed 4WD	5.7L V-8	9,900
Tundra SR DC LB 4WD	5.7L V-8	9,800
Tundra SR5 DC LB 4WD	5.7L V-8	9,800
Tundra Limited DC 4WD	5.7L V-8	9,100
Tundra SR5 CrewMax 4WD	4.6L V-8	6,400 (t)
Tundra SR5 CrewMax 4WD	5.7L V-8	9,800
Tundra TRD Pro CrewMax 4WD	5.7L V-8	9,200
Tundra Limited CrewMax 4WD	5.7L V-8	8,800
Tundra Platinum CrewMax 4WD	5.7L V-8	8,800
Tundra 1794 CrewMax 4WD	5.7L V-8	8,800

Tundra ratings vary depending on trim level and equipment selected. See dealer for details.

### VOLKSWAGEN

Atlas	2.0L I-4 TC	2,000 (t)
Atlas FWD/AWD	3.6L V-6	5,000 (t)
Tiguan Limited	2.0L I-4 TC	2,200 (t)

### VOLVO

S60 T5, T6, Cross Country	All	3,500 (t)
V60 T5, T6, Cross Country	All	3,968 (t)
V90 T5 FWD	2.0L I-4 TC	2,000 (t)
V90 T6 AWD	2.0L I-4 TC/SC	3,500 (t)
V90 Cross Country AWD	All	3,500 (t)
XC60	All	3,500 (t)
XC90	All	5,200 (t)